

BOYSEN®



The No. 1 PAINT

BOYSEN®

WoodPrime™

Water-based Wood Primer

BOYSEN® WoodPrime™ B-180

Water-based Wood Primer



BOYSEN® WoodPrime™ is an acrylic water-based primer designed for application onto interior wooden substrates. It is low in odor and is formulated to have better tannin resistance.



TECHNICAL DATA



VEHICLE TYPE

Acrylic



DRY TIME

Touch dry in 30 minutes.
Recoat after 24 hours.

*Measured at 25°C and 50% relative humidity



PRACTICAL COVERAGE

20 to 25 sq. m. per 4-Liters

*Depending on surface texture and porosity



TINTING

Not applicable



THINNING SOLVENT

Use as supplied



CLEAN-UP SOLVENT

Water



PACKAGING

4-Liters



APPLICATION

By brush, roller, or
airless spray

SERVICE CONDITIONS

Tannin may still appear after one coat of BOYSEN® WoodPrime™ B-180. However, it will not migrate to the top coat. It is best to refrain the use of the product on high-friction areas such as fixtures and furniture. Do not use product on flooring. Stir well before using. Close container and wash painting tools in soapy water immediately after use.

SURFACE PREPARATION

Wooden Surfaces

Surface to be painted should be clean and dry, free from dust, dirt, and other foreign matter. Hammer all nails deep enough to apply putty. Sand rough wood until smooth and then dust off before painting.

For repainting, scrape off all loose, scaling, flaking, and peeling paint, as necessary. Wash surfaces clean and completely remove chemical residue. Let it dry.

PAINTING SCHEDULE

Wooden Surfaces

Primer: BOYSEN® WoodPrime™ B-180

Putty: BOYSEN® Masonry Putty B-7311

2nd & 3rd coat: Any water-based BOYSEN® topcoat



The No. 1 PAINT

BOYSEN®



The No. 1 PAINT

PACIFIC PAINT (BOYSEN) PHILIPPINES, INC.

MAIN OFFICE

292 D. Tuazon Street, 1115 Quezon City

Hotline: (02) 8364-9999

Telephone Numbers:

(02) 8364-3505 to 09; (02) 8365-0561 to 64

Fax Numbers:

(02) 8361-7164; (02) 8367-8881

inquiry@boysen.com.ph

MARKETING AND TECHNICAL OFFICE

276-278 D. Tuazon Street, 1115 Quezon City

Telephone Numbers:

(02) 8363-9738; (02) 8367-8880

Fax Number:

(02) 8367-8878

Mobile Number:

(0918) 913-6000

marketing@boysen.com.ph

technical@boysen.com.ph