

A PRODUCT OF BOYSEN The No.1 PAINT

TITAN™

SUPERFLEX™

ELASTOMERIC

WATERPROOFING PAINT

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

ALL-WEATHER SUPERIOR PROTECTION FOR YOUR HOME

- WIDE COLOR SELECTION
- LONG-TERM COLOR RETENTION
- DURABLE
- CRACK BRIDGING TECHNOLOGY
- UV RESISTANT



DISCLAIMER: Due to variations in digital resolution/reproduction, colors seen here may not accurately reflect actual paint colors. To confirm your color choices, please visit your nearest Boysen dealer.

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

Titan™ Superflex™ is a self-priming, flexible coating that forms a durable film. It cures to an adherent film capable of bridging hairline cracks on concrete walls. It has long-term durability and color retention. It is recommended for both interior and exterior concrete surfaces.

SURFACE PREPARATION

New Concrete

Allow new concrete to dry for 14-28 days under normal weather conditions before painting. Surface to be painted should be clean and dry, free from oil, grease, dust, dirt, contaminants, and all loose grit and mortar. If neutralizing, treat surface with a solution of 1 part BOYSEN Masonry Neutralizer B-44 diluted in 16 parts water, applying liberally by brush or roller. Let dry overnight before rinsing with water to remove white crystals that form on the surface. Let dry before painting. However, if the concrete has been cured for more than 28 days, there is no need for neutralizer.

Repainting

Scrape off all loose, scaling, flaking, and peeling paint manually or by using a paint and varnish remover, as necessary. Wash surfaces clean and completely remove chemical residue. Let it dry.

For repainting concrete with chalky old paint, use BOYSEN Chalk Blocker B-7304. In case of mildew infestation, treat with a bleach solution (1:3, laundry bleach to water, respectively) by swabbing or brushing. To ensure proper treatment, let stand for 24 hours before cleaning off residue. Let dry.

PAINTING SCHEDULE

Apply at least 3 coats of Titan Superflex by brush, roller, or airless spray.

TECHNICAL DATA

Finish: Matte

Dry Time
Touch: 1 hour
Recoat: 3 hours
**Measured at 25°C and 50% relative humidity*

Theoretical Coverage per 4-Liters at 1.7-1.4 mils DFT: 20-25 sq. m.
**Depending on surface texture and porosity*

Thinning Solvent:
Use as supplied. If necessary, thin with not more than 1⁄2 Liter of clean water per 4-Liter can.

Clean-up Solvent: Water

Packaging:
4 Liters and 16 Liters

Application:
By brush, roller, or airless spray

SAFETY

Use only in well-ventilated areas. In case of insufficient ventilation during spraying, wear suitable respiratory equipment. In case of eye contact, rinse immediately with plenty of clean water and if necessary, seek a medical advice.



LOW ODOR

LEAD SAFE PAINT
www.leadsafepaint.org

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color



TITAN™ SUPERFLEX™ ELASTOMERIC PAINT

T-5710 Lady Candy	**T-5702** Bright Coral	**T-5708** Chili Pepper	★ **T-5712** Cathay Red
T-5703 Baby Candy	★ **T-5803** Clay Pot	**T-5709** Berry Rouge	**T-5707** Cottage Red
T-5704 Apple Blossom	**T-5706** Coral Red	**T-5802** Brick Dust	★ **T-5711** Happy Red
T-5205 Sweet Salmon	**T-5705** Sun Glaze	★ **T-5373** Terracotta	★ **T-5804** Burger Brown
★ **T-5603** Ivory	★ **T-5203** Peach	**T-5720** Zesty Orange	

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

COLORS THAT PROTECT

T-5602
Candle Bright

T-5102
Lemon Ice

T-5607
Sunny Days

T-5609
Happy Day

★T-5103
Ice Mist

★ T-5137
Tinkerbelles

★T-5209
Crisp Biscuit

★T-5204
Candy Cream

T-5202
Sea Pearl

★T-5207
Cream Surprise

★T-5604
Ripe Mango

T-5606
Buttered Corn

★T-5201
Puff Pink

T-5608
Yellow Breeze

T-5601
Beach Dust

T-5605
Shining Yellow

★T-5210
Bone Ivory

★T-5220
Calm Beige

★ Readily available

Colors in this brochure are readily available,
available through BOYSEN Mix & Match stations, or plant-mixed.

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

COLORS THAT PROTECT

★ **T-5806** Mocha Blanch	★ **T-5801** Mocha	★ **T-5805** Mud O Pie	★ **T-5800** Choco Brown
★ **T-5136** Apricott White	★ **T-5138** Tulle White	★ **T-5135** Tinge of Grey	★ **T-5306** Smoke Gray
T-5402 Soft Lilac	**T-5414** Empire Violet	**T-5415** Persian Violet	★ **T-5388** Seal Gray
★ **T-5302** Natural Gray	**T-5301** Whipple Blue	**T-5403** Mystic Blue	**T-5406** Polaris Blue
T-5404 Baby Blue	**T-5410** Fresh Water	**T-5407** Denim Blue	**T-5412** Mediterranean Blue
T-5401 Techno Blue	**T-5416** Calm Sky	**T-5408** Feather Soft	★ **T-5411** Blue Royale

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

COLORS THAT PROTECT

T-5405
Distant Blue

T-5505
Aquamarine

T-5413
Deep Sea

T-5409
Evening Sea

★ T-5101
Snow White

T-5510
Morning Bliss

T-5506
Sherwood

★ T-5504
Apple Green

★ T-5104
White Sand

T-5512
Bayville Green

T-5502
Icy Green

T-5511
Green Leaf

T-5501
Sour Green

T-5503
Cool Green

T-5508
Green Grass

T-5509
Sierra Green

T-5507
Forest Lime

★ T-5550
Baguio Green

T-5303
Metal Ash

★ T-5330
Dove Gray



For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

COLORS THAT PROTECT

T-5128
Just Above White

★T-5115
Sugar Dust

T-5123
Mystic Fog

T-5125
Barely White

★T-5108
Child of Heaven

★T-5122
Dove White

T-5126
White Kitten

★T-5105
Hint of Vanilla

T-5129
Moon Drop

T-5133
Italian Ice

T-5113
Chapel Wall

T-5112
Casa Blanca

T-5131
Bannister White

★T-5132
Lady Nicole

T-5109
Kiara

T-5118
Twill

★T-5127
Shell Tint

T-5134
Ice Dream

★T-5114
Petticoat

★T-5110
Lttle Dove

Also available in

★**T-5300** WHITE and ★**T-5910** BLACK

DISCLAIMER: Due to variations in digital resolution/reproduction, colors seen here may not accurately reflect actual paint colors. To confirm your color choices, please visit your nearest Boysen dealer.

LEAD SAFE PAINT www.leadsafepaint.org

LOW ODOR

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color



DISCLAIMER: Due to variations in digital resolution/reproduction, colors seen here may not accurately reflect actual paint colors. To confirm your color choices, please visit your nearest Boysen dealer.



For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color

BOYSEN®
The No. 1 PAINT

PACIFIC PAINT (BOYSEN) PHILIPPINES, INC.
292 D. Tuazon Street, 1115 Quezon City, Philippines

Hotline: (02) 8364-9999
Tel. No. (02) 8364-3505 to 09; (02) 8365-0561 to 64
Fax Nos. (02) 8367-8881; (02) 7006-2346
inquiry@boysen.com.ph

THE COLOR LIBRARY

SP 241-242 2nd Level, IKEA Retail Integration
South Parking Building, SM Mall of Asia,
Pasay City 1300

CONNECT WITH US

Boysen Paints Philippines

BoysenPaintsPhil

Blog: myboysen.com

studioboysen.com

Boysen App

SCAN ME
To learn more about our products.

www.boysen.com.ph

BOYSEN® mix & match™ COLOR STATION

Visit our BOYSEN Mix & Match Color Stations for more color options.
Available in selected hardware stores and home depots nationwide!



Explore **more colors**
using your **mobile phone.**

Download the official
BOYSEN app now!

Google play | App Store

For technical reasons connected with color reproduction and paint manufacturing, the colors shown may not match the exact paint color